

# Puro.earth CO<sub>2</sub> Removal Standard and Registry

# **Output Verification Audit Statement**

Statement No.	Date of Issue	Validity Period
004	1 December 2025	01 March 2024 to 31 March 2025

EnergyLink Services have verified the CO<sub>2</sub> removal achieved by the following organisation (the audited body) in accordance with the *Puro Standard General Rules v3.1* for the calculation of CORCs from the reporting period of 01 March 2024 to 31 March 2025:



The result of the Output Verification Audit is reported in the document titled Aperam Bioenergia Audit Report and relates to the activities carried out at the Production Facility Name: Aperam Bioenergia, ID: 175613, located at: Capelinha, Brazil.

### **Output Verification Audit**

EnergyLink Services have verified that the calculation of  $CO_2$  removal achieved through the production of biochar for the period 01 March 2024 to 31 March 2025 has been prepared in accordance with the Puro.earth Biochar Methodology.

Sydney, Australia

Rodrigo Pardo Patron – Director of Engineering

EnergyLink Services Pty Ltd

Lead Auditor

1 December 2025

**Katherine Simmons** 

KREA Consulting Pty Ltd

Peer Reviewer

1 December 2025



# Attachment to the Statement

Reporting Period	Eligible CO₂ Removal	Eligible CORCs
01 March 2024 to 31 March 2025	1.483018446 tCO₂e per dry tonne biochar	39,564.50

## **Verification Objective**

EnergyLink Services was engaged to conduct an audit to validate that the audited body's calculation of  $CO_2$  Removal from the production of biochar for the period 01 March 2024 to 31 March 2025 had been prepared in accordance with the Puro.earth Biochar Methodology and with reference to the eligibility requirements for a Production Facility.

## **Verification Scope**

Output Verification Audit for the period 01 March 2024 to 31 March 2025 under the biochar CO<sub>2</sub> removal methodology Edition 2022 v3.

#### Verification Level of Assurance

The verification was conducted by EnergyLink Services with a reasonable level of assurance. A reasonable assurance engagement in accordance with ISAE 3000 involves performing procedures to obtain evidence about the Production Facility process controls and the quantification of CO<sub>2</sub> Removal in accordance with *Puro Standard General Rules v3.1*. There are inherent limitations in performing assurance—for example, assurance engagements are based on selective testing of the information being examined—and because of this, it is possible that fraud, error, or non-compliance may occur and not be detected. An assurance engagement is not designed to detect all misstatements, as an assurance engagement is not performed continuously throughout the period that is the subject of the engagement, and the procedures are performed on a test basis. The conclusion expressed in this statement has been formed on the above basis.

#### **Verification Criteria**

The requirements applicable to the organisation are the *Puro Standard General Rules v3.1* for the reporting period of 01 March 2024 to 31 March 2025.