



## Puro.earth CO<sub>2</sub> Removal Standard and Registry

# Output Audit Statement

Statement No.	Date of Issue	Validity Period
001	16 December 2025	01 September 2023 to 28 February 2025

EnergyLink Services have verified the CO<sub>2</sub> removal achieved by the following organisation (the audited body) in accordance with the *Puro.earth CO<sub>2</sub> Removal Marketplace General Rules v3.1* for the calculation of CORCs from the reporting period of 01 September 2023 to 28 February 2025:

Facility Operator	Puro.earth Project Proponent
<p><i>Carbon Hill</i></p> 	<p><i>Accend AS</i></p> 

The result of the Output Audit is reported in the document titled Carbon Hill Output Audit Report and relates to the activities carried out at the Production Facility Name: Carbon Hill, ID: 712033, located at Cae Bardd, Guilsfield, SY21 9DJ, Welshpool, UK

### Output Audit

EnergyLink have verified that the calculation of CO<sub>2</sub> removal achieved through the production of biochar for the period 01 September 2023 to 28 February 2025 has been prepared in accordance with the Puro.earth Biochar Methodology.

Sydney, Australia



Rodrigo Pardo Patron – Director of Engineering  
EnergyLink Services Pty Ltd  
Lead Auditor  
16 December 2025



Katherine Simmons  
KREA Consulting Pty Ltd  
Peer Reviewer  
16 December 2025

## Attachment to the Statement

Reporting Period	Eligible CO <sub>2</sub> Removal	Eligible CORCs
01 September 2023 to 28 February 2025	2.404916944 tCO <sub>2</sub> e per dry tonne biochar	361.94

### Verification Objective

EnergyLink was engaged to conduct an audit to validate that the audited body's calculation of CO<sub>2</sub> Removal from the production of biochar for the period 01 September 2023 to 28 February 2025 had been prepared in accordance with the Puro.earth Biochar Methodology and with reference to the eligibility requirements for a Production Facility.

### Verification Scope

Output Audit for the period 01 September 2023 to 28 February 2025 under the biochar CO<sub>2</sub> removal methodology Edition 2022 v3: *Puro.earth CO<sub>2</sub> Removal Marketplace General Rules v3.1*

### Verification Level of Assurance

The verification was conducted by EnergyLink Services with a reasonable level of assurance. A reasonable assurance engagement in accordance with ISAE 3000 involves performing procedures to obtain evidence about the Production Facility process controls and the quantification of CO<sub>2</sub> Removal in accordance with *General Rules of the Puro.earth CO<sub>2</sub> Removal Marketplace*. There are inherent limitations in performing assurance—for example, assurance engagements are based on selective testing of the information being examined—and because of this, it is possible that fraud, error, or non-compliance may occur and not be detected. An assurance engagement is not designed to detect all misstatements, as an assurance engagement is not performed continuously throughout the period that is the subject of the engagement and the procedures are performed on a test basis. The conclusion expressed in this statement has been formed on the above basis.

### Verification Criteria

The requirements applicable to the organisation are the *Puro.earth CO<sub>2</sub> Removal Marketplace General Rules v3.1* for the reporting period of 01 September 2023 to 28 February 2025.